

**RELATIVE VALUE UNITS AND RELATED INFORMATION USED IN DETERMINING MEDICARE PAYMENTS FOR 2009**

<b>CPT Codes</b>	<b>Modifier</b>	<b>Description</b>	<b>Work RVUs</b>	<b>2009 Non-Facility PE RVUs</b>	<b>2009 Facility PE RVUs</b>	<b>Mal-Practice RVUs</b>	<b>Conversion Factor</b>	<b>2009 Non-Facility Rate</b>	<b>2009 Facility Rate</b>
33202		Insert epicard eltrd, open	13.15	NA	6.31	1.71	36.0666		\$764
33203		Insert epicard eltrd, endo	13.92	NA	6.87	1.39	36.0666		\$800
33206		Insertion of heart pacemaker	7.31	NA	4.97	0.52	36.0666		\$462
33207		Insertion of heart pacemaker	8.00	NA	5.12	0.59	36.0666		\$494
33208		Insertion of heart pacemaker	8.72	NA	5.47	0.56	36.0666		\$532
33210		Insertion of heart electrode	3.30	NA	1.58	0.18	36.0666		\$182
33211		Insertion of heart electrode	3.39	NA	1.49	0.21	36.0666		\$184
33212		Insertion of pulse generator	5.51	NA	3.64	0.43	36.0666		\$346
33213		Insertion of pulse generator	6.36	NA	4.11	0.45	36.0666		\$394
33214		Upgrade of pacemaker system	7.78	NA	5.19	0.58	36.0666		\$489
33215		Reposition pacing-defib lead	4.89	NA	3.40	0.37	36.0666		\$312
33216		Insert lead pace-defib, one	5.81	NA	4.47	0.36	36.0666		\$384
33217		Insert lead pace-defib, dual	5.78	NA	4.39	0.39	36.0666		\$381
33218		Repair lead pace-defib, one	5.97	NA	4.66	0.37	36.0666		\$397
33220		Repair lead pace-defib, dual	6.05	NA	4.68	0.37	36.0666		\$400
33222		Revise pocket, pacemaker	5.01	NA	4.29	0.42	36.0666		\$351
33223		Revise pocket, pacing-defib	6.49	NA	4.80	0.45	36.0666		\$423
33224		Insert pacing lead & connect	9.04	NA	4.73	0.54	36.0666		\$516
33225		L ventric pacing lead add-on	8.33	NA	4.11	0.45	36.0666		\$465
33226		Reposition I ventric lead	8.68	NA	4.58	0.59	36.0666		\$500
33233		Removal of pacemaker system	3.33	NA	3.23	0.22	36.0666		\$245
33234		Removal of pacemaker system	7.85	NA	5.34	0.56	36.0666		\$496
33235		Removal pacemaker electrode	9.93	NA	7.12	0.73	36.0666		\$641
33236		Remove electrode/thoracotomy	12.64	NA	6.91	1.69	36.0666		\$766
33237		Remove electrode/thoracotomy	13.75	NA	8.04	1.59	36.0666		\$843
33238		Remove electrode/thoracotomy	15.28	NA	8.01	2.03	36.0666		\$913
33240		Insert pulse generator	7.61	NA	5.08	0.41	36.0666		\$472
33241		Remove pulse generator	3.26	NA	2.96	0.18	36.0666		\$231
33243		Remove eltrd/thoracotomy	23.42	NA	11.42	2.10	36.0666		\$1,332
33244		Remove eltrd, transven	13.84	NA	9.33	0.99	36.0666		\$871
33249		Eltrd/insert pace-defib	15.02	NA	9.68	0.77	36.0666		\$919
33250		Ablate heart dysrhythm focus	25.78	NA	10.89	3.19	36.0666		\$1,438

CPT Codes	Modifier	Description	Work RVUs	2009 Non-Facility PE RVUs	2009 Facility PE RVUs	Mal-Practice RVUs	Conversion Factor	2009 Non-Facility Rate	2009 Facility Rate
33251		Ablate heart dysrhythm focus	28.80	NA	11.79	3.60	36.0666		\$1,594
33254		Ablate atria, lmtd	23.58	NA	10.38	3.35	36.0666		\$1,346
33255		Ablate atria w/o bypass, ext	28.91	NA	12.74	3.94	36.0666		\$1,644
33256		Ablate atria w/bypass, exten	34.77	NA	14.73	4.95	36.0666		\$1,964
33257		Ablate atria, lmtd, add-on	9.63	NA	5.05	0.89	36.0666		\$562
33258		Ablate atria, x10sv, add-on	11.00	NA	5.52	1.09	36.0666		\$635
33259		Ablate atria w/bypass add-on	14.14	NA	7.18	1.78	36.0666		\$833
33261		Ablate heart dysrhythm focus	28.80	NA	11.67	3.46	36.0666		\$1,584
33265		Ablate atria, lmtd, endo	23.58	NA	10.30	3.35	36.0666		\$1,343
33266		Ablate atria, x10sv, endo	32.91	NA	13.44	4.80	36.0666		\$1,845
33282		Implant pat-active ht record	4.70	NA	4.15	0.23	36.0666		\$327
33284		Remove pat-active ht record	3.04	NA	3.36	0.14	36.0666		\$236
36005		Injection ext venography	0.95	8.06	0.37	0.05	36.0666	\$327	\$49
71090		X-ray & pacemaker insertion	0.00	0.00	NA	0.00	36.0666		
71090	TC	X-ray & pacemaker insertion	0.00	0.00	NA	0.00	36.0666		
71090	26	X-ray & pacemaker insertion	0.54	0.26	0.26	0.02	36.0666	\$30	\$30
75820		Vein x-ray, arm/leg	0.70	2.49	NA	0.09	36.0666	\$118	
75820	TC	Vein x-ray, arm/leg	0.00	2.21	NA	0.06	36.0666	\$82	
75820	26	Vein x-ray, arm/leg	0.70	0.28	0.28	0.03	36.0666	\$36	\$36
75827		Vein x-ray, chest	1.14	5.46	NA	0.70	36.0666	\$263	
75827	TC	Vein x-ray, chest	0.00	5.07	NA	0.65	36.0666	\$206	
75827	26	Vein x-ray, chest	1.14	0.39	0.39	0.05	36.0666	\$57	\$57
92960		Cardioversion electric, ext	2.25	4.75	1.38	0.07	36.0666	\$255	\$133
92961		Cardioversion, electric, int	4.59	NA	2.39	0.29	36.0666		\$262
93012		Transmission of ecg	0.00	4.87	NA	0.18	36.0666	\$182	
93014		Report on transmitted ecg	0.52	0.23	0.23	0.02	36.0666	\$28	\$28
93224		ECG monitor/report, 24 hrs	0.52	2.55	NA	0.24	36.0666	\$119	
93225		ECG monitor/record, 24 hrs	0.00	0.91	NA	0.08	36.0666	\$36	
93226		ECG monitor/report, 24 hrs	0.00	1.39	NA	0.14	36.0666	\$55	
93227		ECG monitor/review, 24 hrs	0.52	0.25	0.25	0.02	36.0666	\$28	\$28
93228		Remote 30 day ecg rev/report	0.52	0.17	0.17	0.02	36.0666	\$26	\$26
93229		Remote 30 day ecg tech supp	0.00	0.00	0.00	0.00	36.0666	Medicare Contractor Price	
93230		ECG monitor/report, 24 hrs	0.52	2.61	NA	0.26	36.0666	\$122	
93231		Ecg monitor/record, 24 hrs	0.00	0.89	NA	0.11	36.0666	\$36	
93232		ECG monitor/report, 24 hrs	0.00	1.50	NA	0.13	36.0666	\$59	

CPT Codes	Modifier	Description	Work RVUs	2009 Non-Facility PE RVUs	2009 Facility PE RVUs	Mal-Practice RVUs	Conversion Factor	2009 Non-Facility Rate	2009 Facility Rate
93268		ECG record/review	0.52	6.56	NA	0.28	36.0666	\$265	
93270		ECG recording	0.00	0.52	NA	0.08	36.0666	\$22	
93272		Ecg/review, interpret only	0.52	0.22	0.22	0.02	36.0666	\$27	\$27
93279		Pm device progr eval, snl	0.65	0.84	NA	0.06	36.0666	\$56	
93279	TC	Pm device progr eval, snl	0.00	0.51	NA	0.04	36.0666	\$20	
93279	26	Pm device progr eval, snl	0.65	0.33	0.33	0.02	36.0666	\$36	\$36
93280		Pm device progr eval, dual	0.77	1.01	NA	0.05	36.0666	\$66	
93280	TC	Pm device progr eval, dual	0.00	0.60	NA	0.03	36.0666	\$23	
93280	26	Pm device progr eval, dual	0.77	0.41	0.41	0.02	36.0666	\$43	\$43
93281		Pm device progr eval, multi	0.90	1.18	NA	0.06	36.0666	\$77	
93281	TC	Pm device progr eval, multi	0.00	0.70	NA	0.04	36.0666	\$27	
93281	26	Pm device progr eval, multi	0.90	0.48	0.48	0.02	36.0666	\$50	\$50
93282		Icd device prog eval, 1 snl	0.85	1.06	NA	0.07	36.0666	\$71	
93282	TC	Icd device prog eval, 1 snl	0.00	0.63	NA	0.04	36.0666	\$24	
93282	26	Icd device prog eval, 1 snl	0.85	0.43	0.43	0.03	36.0666	\$47	\$47
93283		Icd device progr eval, dual	1.05	1.28	NA	0.08	36.0666	\$87	
93283	TC	Icd device progr eval, dual	0.00	0.72	NA	0.04	36.0666	\$27	
93283	26	Icd device progr eval, dual	1.05	0.56	0.56	0.04	36.0666	\$60	\$60
93284		Icd device progr eval, mult	1.25	1.49	NA	0.08	36.0666	\$102	
93284	TC	Icd device progr eval, mult	0.00	0.82	NA	0.04	36.0666	\$31	
93284	26	Icd device progr eval, mult	1.25	0.67	0.67	0.04	36.0666	\$71	\$71
93285		Ilr device eval progr	0.52	0.76	NA	0.06	36.0666	\$48	
93285	TC	Ilr device eval progr	0.00	0.48	NA	0.04	36.0666	\$19	
93285	26	Ilr device eval progr	0.52	0.28	0.28	0.02	36.0666	\$30	\$30
93286		Pre-op pm device eval	0.30	0.42	NA	0.04	36.0666	\$27	
93286	TC	Pre-op pm device eval	0.00	0.32	NA	0.02	36.0666	\$12	
93286	26	Pre-op pm device eval	0.30	0.10	0.10	0.02	36.0666	\$15	\$15
93287		Pre-op icd device eval	0.45	0.50	NA	0.05	36.0666	\$36	
93287	TC	Pre-op icd device eval	0.00	0.35	NA	0.04	36.0666	\$14	
93287	26	Pre-op icd device eval	0.45	0.15	0.15	0.01	36.0666	\$22	\$22
93288		Pm device eval in person	0.43	0.72	NA	0.05	36.0666	\$43	
93288	TC	Pm device eval in person	0.00	0.49	NA	0.04	36.0666	\$19	
93288	26	Pm device eval in person	0.43	0.23	0.23	0.01	36.0666	\$24	\$24
93289		Icd device interrogate	0.78	1.01	NA	0.05	36.0666	\$66	
93289	TC	Icd device interrogate	0.00	0.60	NA	0.03	36.0666	\$23	

CPT Codes	Modifier	Description	Work RVUs	2009 Non-Facility PE RVUs	2009 Facility PE RVUs	Mal-Practice RVUs	Conversion Factor	2009 Non-Facility Rate	2009 Facility Rate
93289	26	Icd device interrogate	0.78	0.41	0.41	0.02	36.0666	\$44	\$44
93290		Icm device eval	0.43	0.40	NA	0.06	36.0666	\$32	
93290	TC	Icm device eval	0.00	0.26	NA	0.04	36.0666	\$11	
93290	26	Icm device eval	0.43	0.14	0.14	0.02	36.0666	\$21	\$21
93291		Ilr device interrogate	0.43	0.67	NA	0.05	36.0666	\$41	
93291	TC	Ilr device interrogate	0.00	0.44	NA	0.03	36.0666	\$17	
93291	26	Ilr device interrogate	0.43	0.23	0.23	0.02	36.0666	\$25	\$25
93292		Wcd device interrogate	0.43	0.56	NA	0.05	36.0666	\$38	
93292	TC	Wcd device interrogate	0.00	0.33	NA	0.04	36.0666	\$13	
93292	26	Wcd device interrogate	0.43	0.23	0.23	0.01	36.0666	\$24	\$24
93293		Pm phone r-strip device eval	0.32	1.21	NA	0.13	36.0666	\$60	
93293	TC	Pm phone r-strip device eval	0.00	1.08	NA	0.11	36.0666	\$43	
93293	26	Pm phone r-strip device eval	0.32	0.13	0.13	0.02	36.0666	\$17	\$17
93294		Pm device interrogate remote	0.65	0.34	0.34	0.03	36.0666	\$37	\$37
93295		Icd device interrogat remote	1.17	0.63	0.63	0.04	36.0666	\$66	\$66
93296		Pm/icd remote tech serv	0.00	1.00	NA	0.01	36.0666	\$36	
93297		Icm device interrogat remote	0.52	0.17	0.17	0.02	36.0666	\$26	\$26
93298		Ilr device interrogat remote	0.52	0.28	0.28	0.02	36.0666	\$30	\$30
93299		Icm/ilr remote tech serv	0.00	0.00	0.00	0.00	36.0666	Medicare Contractor Price	
93527	26	Rt & Lt heart catheters	7.27	3.74	3.74	0.51	36.0666	\$415	\$415
93600	26	Bundle of His recording	2.12	1.03	1.03	0.16	36.0666	\$119	\$119
93602	26	Intra-atrial recording	2.12	1.01	1.01	0.17	36.0666	\$119	\$119
93603	26	Right ventricular recording	2.12	1.01	1.01	0.18	36.0666	\$119	\$119
93609	26	Map tachycardia, add-on	4.99	2.46	2.46	0.35	36.0666	\$281	\$281
93610	26	Intra-atrial pacing	3.02	1.43	1.43	0.24	36.0666	\$169	\$169
93612	26	Intraventricular pacing	3.02	1.40	1.40	0.25	36.0666	\$168	\$168
93613		Electrophys map 3d, add-on	6.99	NA	3.48	0.49	36.0666		\$395
93616	26	Esophageal recording	1.49	0.35	0.35	0.09	36.0666	\$70	\$70
93618	26	Heart rhythm pacing	4.25	2.15	2.15	0.30	36.0666	\$242	\$242
93619	26	Electrophysiology evaluation	7.31	3.75	3.75	0.51	36.0666	\$417	\$417
93620	26	Electrophysiology evaluation	11.57	5.81	5.81	0.80	36.0666	\$656	\$656
93621	26	Electrophysiology evaluation	2.10	1.04	1.04	0.15	36.0666	\$119	\$119
93622	26	Electrophysiology evaluation	3.10	1.49	1.49	0.22	36.0666	\$173	\$173
93623		Stimulation, pacing heart	0.00	0.00	NA	0.00	36.0666	\$0	
93624	26	Electrophysiologic study	4.80	2.47	2.47	0.33	36.0666	\$274	\$274

CPT Codes	Modifier	Description	Work RVUs	2009 Non-Facility PE RVUs	2009 Facility PE RVUs	Mal-Practice RVUs	Conversion Factor	2009 Non-Facility Rate	2009 Facility Rate
93640	26	Evaluation heart device	3.51	1.72	1.72	0.24	36.0666	\$197	\$197
93641	26	Electrophysiology evaluation	5.92	2.93	2.93	0.41	36.0666	\$334	\$334
93642		Electrophysiology evaluation	4.88	7.66	NA	0.57	36.0666	\$473	
93642	TC	Electrophysiology evaluation	0.00	5.15	NA	0.42	36.0666	\$201	
93642	26	Electrophysiology evaluation	4.88	2.51	2.51	0.15	36.0666	\$272	\$272
93650		Ablate heart dysrhythm focus	10.49	NA	5.47	0.73	36.0666		\$602
93651		Ablate heart dysrhythm focus	16.23	NA	8.03	1.13	36.0666		\$916
93652		Ablate heart dysrhythm focus	17.65	NA	8.75	1.23	36.0666		\$997
93660		Tilt table evaluation	1.89	2.78	NA	0.08	36.0666	\$171	
93660	TC	Tilt table evaluation	0.00	1.85	NA	0.02	36.0666	\$67	
93660	26	Tilt table evaluation	1.89	0.93	0.93	0.06	36.0666	\$104	\$104
93662	26	Intracardiac ecg (ice)	2.80	1.38	1.38	0.09	36.0666	\$154	\$154
93724		Analyze pacemaker system	4.88	4.01	NA	0.39	36.0666	\$335	
93724	TC	Analyze pacemaker system	0.00	1.63	NA	0.24	36.0666	\$67	
93724	26	Analyze pacemaker system	4.88	2.38	2.38	0.15	36.0666	\$267	\$267
93745	26	Set-up cardiovert-defibrill	0.00	0.00	0.00	0.00	36.0666	\$0	\$0

CPT codes and descriptions only are copyright 2008 American Medical Association. All Rights Reserved.