



**A Discussion of Catheter Ablation of Atrial Fibrillation is Feasible and Effective in Patients with ACHD and Reduces Symptoms. Recurrence of AA Frequently Requires Repeat Ablation**

**Hosted by Michael S. Lloyd, MD, FHRS**



# Article Information:

**Article for Discussion: Catheter Ablation of Atrial Fibrillation is Feasible and Effective in Patients with ACHD and Reduces Symptoms. Recurrence of AA Frequently Requires Repeat Ablation**

**Authors:**

Tiffany Y. Hu , MD; Chaitra Janga , MBBS; Mustapha Amin, MD; Nicholas Y. Tan , MD, MS; David O. Hodge , MS; Ramila A. Mehta , MS; Christopher J. McLeod , MBBCh, PhD; Anca Chiriac , MD, PhD; William R. Miranda , MD; Heidi M. Connolly , MD; Samuel J. Asirvatham , MD; Abhishek J. Deshmukh , MBBS; Alexander C. Egbe , MBBS, MPCH; Malini Madhavan , MBBS

**Published In: Circulation: Arrhythmia and Electrophysiology**



# Today's Host



**Michael S. Lloyd, MD, FHRS  
Emory University**



# Today's Contributors:



**Natasja M. S. De Groot,  
MD, PhD**  
Erasmus University Medical  
Center



**Jeremy P. Moore, MD, MS, FHRN,  
CCDS, CEPS-P**  
UCLA Medical Center



# Disclosures:

**Natasja M. S. De Groot, MD, PhD**

- Honoraria/Speaking/Consulting: Biosense Webster.

**Michael S. Lloyd, MD, FHRs**

- Honoraria/Speaking/Consulting: Medtronic, Baylis Medical Company, Boston Scientific.

**Jeremy P. Moore, MD, MS, FHRs, CCDS, CEPS-P**

- Nothing to disclose.





Thank you!