

A Discussion of Intracardiac vs Transesophageal Echocardiography for Left Atrial Appendage Occlusion With Watchman FLX in the U.S.

Hosted by William H. Sauer, MD, FHRS, CCDS



# **Article Information:**

Article for Discussion: Intracardiac vs Transesophageal Echocardiography for Left Atrial Appendage Occlusion With Watchman FLX in the U.S.

Authors: Enrico G. Ferro, MD, Mohamad Alkhouli, MD, Devi G. Nair, MD, Samir R. Kapadia, MD, Jonathan C. Hsu, MD, MAS, Douglas N. Gibson, MD, James V. Freeman, MD, MPH, MS, Matthew J. Price, MD, Kristine Roy, PHD, Dominic J. Allocco, MD, Robert W. Yeh, MD MSC, Jonathan P. Piccini, MD, MHS

**Publication: JACC: Clinical Electrophysiology** 




## Today's Host




William H. Sauer, MD, FHRS, CCDS Brigham and Women's Hospital



### **Today's Contributors:**





#### David Chang, MD Brigham and Women`s Hospital

#### Sunil Kapur, MD Brigham and Women`s Hospital



### **Disclosures:**

William H. Sauer, MD, FHRS, CCDS

- Honoraria/Speaking/Consulting: Biotronik, Biosense Webster, Inc., Abbott, Boston Scientific
- Research: Medtronic

#### David Chang, MD

- Nothing to disclose.
- Sunil Kapur, MD
  - Honoraria/Speaking/Consulting: Biotronik, Abbott, Medtronic, Inc, Novartis





### Thank you!