



## A Discussion of Catheter Ablation of Atrial Fibrillation is Feasible and Effective in Patients with ACHD and Reduces Symptoms. Recurrence of AA Frequently Requires Repeat Ablation

Hosted by Michael S. Lloyd, MD, FHRS

# Article Information:

**Article for Discussion:** Catheter Ablation of Atrial Fibrillation is Feasible and Effective in Patients with ACHD and Reduces Symptoms. Recurrence of AA Frequently Requires Repeat Ablation

**Authors:**

Tiffany Y. Hu , MD; Chaitra Janga , MBBS; Mustapha Amin, MD; Nicholas Y. Tan , MD, MS; David O. Hodge , MS; Ramila A. Mehta , MS; Christopher J. McLeod , MBBCh, PhD; Anca Chiriac , MD, PhD; William R. Miranda , MD; Heidi M. Connolly , MD; Samuel J. Asirvatham , MD; Abhishek J. Deshmukh , MBBS; Alexander C. Egbe , MBBS, MPCH; Malini Madhavan , MBBS

**Published In:** Circulation: Arrhythmia and Electrophysiology



# Today's Host



**Michael S. Lloyd, MD, FHRP**  
**Emory University**



# Today's Contributors:



Natasja M. S. De Groot,  
MD, PhD  
Erasmus University Medical  
Center



Jeremy P. Moore, MD, MS, FHRF,  
CCDS, CEPS-P  
UCLA Medical Center



# Disclosures:

**Natasja M. S. De Groot, MD, PhD**

- **Honoraria/Speaking/Consulting: Biosense Webster.**

**Michael S. Lloyd, MD, FHRS**

- **Honoraria/Speaking/Consulting: Medtronic, Baylis Medical Company, Boston Scientific.**

**Jeremy P. Moore, MD, MS, FHRS, CCDS, CEPS-P**

- **Nothing to disclose.**





Thank you!