



A Discussion of Caffeinated Coffee Consumption or Abstinence to Reduce Atrial Fibrillation: The DECAF Randomized Clinical Trial (Japanese Episode)

Hosted by Takanori Yamaguchi, MD, PhD

Article Information:

Article for Discussion: Caffeinated Coffee Consumption or Abstinence to Reduce Atrial Fibrillation: The DECAF Randomized Clinical Trial

Authors: Christopher X. Wong, MBBS, MPH, PhD; Christopher C. Cheung, MD, MPH; Gabrielle Montenegro, BA, Hannah H. Oo, BS; Isabella J. Peña, BA; Janet J. Tang, MPH, PhD; Samuel J. Tu, MBBS; Grace Wall, BA1; Thomas A. Dewland, MD; Joshua D. Moss, MD; Edward P. Gerstenfeld, MD; Zian H. Tseng, MD, MAS; Henry H. Hsia, MD; Randall J. Lee, MD, PhD; Jeffrey E. Olgin, MD; Vasanth Vedantham, MD; Melvin M. Scheinman, MD; Catherine Lee, PhD; Prashanthan Sanders, MBBS, PhD; Gregory M. Marcus, MD, MAS

Publication: JAMA



Today's Host




Takanori Yamaguchi, MD, PhD
Saga University



Today's Contributors:



Koichi Nagashima, MD, PhD
Nihon University
School of Medicine



Michifumi Tokuda, MD, PhD
The Jikei University
School of Medicine



Disclosures:

Takanori Yamaguchi, MD, PhD

- **Honoraria/Speaking/Teaching/Consulting: Abbott Japan, Japan Medtronic, Inc., Daiichi Sankyo, Boehringer Ingelheim, Bayer Healthcare Pharmaceutical, Japan, Nihon Kohden, Japan Lifeline, Novartis**

Koichi Nagashima, MD, PhD

- **Nothing to Disclose.**

Michifumi Tokuda, MD, PhD

- **Honoraria/Speaking/Consulting: Medtronic Japan**





Thank you!